

1      **Amendment to the Claims**

2      **In the Claims:**

3      Please amend Claims 1, 8, 13, and 18-21 as follows:

4      1. (Currently Amended) A computer-implemented method for allocating items to an  
5      available inventory of empty item slots, comprising the steps of:

6                determining a number of item slots available in an inventory that are empty, such that  
7      each item slot that is empty can be filled by both either an item of a first type having a corresponding  
8      characteristic or an item of a second type having a corresponding characteristic, and wherein each  
9      item slot that is empty is filled by only a single item having the corresponding characteristic ~~will fill~~  
10     ~~the empty item slot;~~

11                organizing the item slots that are empty into item slot groups, each different item  
12      slot group including only those item slots which can be filled by items having the same  
13      characteristic;

14                allocating each of a plurality of items of a the first type to the item slots of the item  
15      slot groups that are unfilled by matching characteristics of the first type of items to characteristics  
16      of the item slot groups, such that allocating an item of the first type to an item slot fills the item slot  
17      with the item;

18                allocating each of a plurality of items of a the second type to the item slots of the item  
19      slot groups that are unfilled by items of the first type by matching characteristics of the second  
20      type of items to the characteristics of the item slot groups, such that allocating an item of the  
21      second type to an item slot fills the item slot with the item; and

22                displaying the plurality of item slot groups as a histogram having a plurality of bars,  
23      where each bar corresponds to an item slot group and has a height corresponding to the number of  
24      item slots of the item slot group, wherein the bar has an indication as to how many of the number of  
25      item slots of the item slot group are filled and how many of the number of item slots of the item  
26      slot group are unfilled.

27      2. (Original) The method of claim 1, wherein each item comprises an ad and each item slot  
28      group comprises a web site, such that each item slot of the item slot group corresponds to an  
29      advertising space on the web site on which an ad can be shown.

1       3. (Original) The method of claim 2, wherein the first type of the plurality of items  
2 comprises ~~member ads~~ sponsor ads, and the second type of the plurality of items comprises ~~sponsor~~  
3 ~~ads~~ member ads.

4       4. (Original) The method of claim 1, wherein each of the plurality of items of the first type  
5 has a fill quota, wherein allocating each of the plurality of the items of the first type comprises filling  
6 a number of item slots of the item slot groups that are unfilled with the item equal to the quota.

7       5. (Original) The method of claim 4, wherein allocating each of the plurality of the items of  
8 the first type further comprises filling the number of item slots of the item slot groups that are  
9 unfilled with the item equal to the quota proportionally as to the item slots unfilled of the item slot  
10 groups having characteristics matching the characteristics of the item.

11       6. (Original) The method of claim 1, wherein each of the plurality of items of the second  
12 type has a fill quota, wherein allocating each of the plurality of the items of the second type  
13 comprises filling a number of item slots of the item slot groups that are unfilled with the item equal to  
14 the quota.

15       7. (Original) The method of claim 6, wherein allocating each of the plurality of the items of  
16 the second type further comprises filling the number of item slots of the item slot groups that are  
17 unfilled with the item equal to the quota proportionally as to the item slots unfilled of the item slot  
18 groups having characteristics matching the characteristics of the item.

19       8. (Currently Amended) A computer-implemented method for allocating items to an  
20 available inventory of empty item slots, comprising the steps of:

21               determining a number of item slots available in an inventory that are empty, such that  
22 each item slot that is empty can be filled by ~~both~~ either an item of a first type having a corresponding  
23 meta characteristic and no group characteristic, and or an item of a second type having both a  
24 corresponding meta characteristic and a corresponding group characteristic, and wherein each item  
25 slot that is empty is filled by only a single item having the corresponding characteristic ~~will fill the~~  
26 ~~empty item slot~~;

27               organizing the item slots that are empty into item slot groups, a different item slot  
28 group being constructed for each different group characteristic, such that each item slot that can be  
29 filled with an item having that group characteristic is included in that item slot group;

constructing a meta item slot group for each different meta characteristic that can be used to fill the item slots, each meta item slot group having a number of meta item slots equal to a total number of item slots that can be filled by items having that meta characteristic, each meta item slot being initially unfilled and able to be filled by an item having that meta characteristic;

allocating each of a plurality of items of a first type over the meta item slots of the meta item slot groups that are unfilled by matching meta characteristics of the first type of items to the meta item slots, such that the meta item slots are filled only by items of the first type having the same meta characteristic, and allocating an item of the first type to a meta item slot fills the meta item slot with the item;

allocating each of a plurality of items of a second type over the meta item slots of the meta item slot groups that are unfilled by items of the first type by matching characteristics of the second type of items to the characteristics of the meta item slot groups, such that the meta item slots are filled only by items of the second type having the same meta characteristic, and allocating an item of the second type to a meta item slot fills the meta item slot with the item, thereby determining a number of items of the second type required to fill all meta item slots unfilled by items of the first type;

for each item of the second type that is allocated to a meta item slot, also allocating that item of the second type to an item slot that is unfilled by matching characteristics of the item of the second type to the characteristics of the item slot groups, such that each item slot is filled only by items of the second type having the same group characteristic and the same meta characteristic, and allocating an item of the second type to an item slot fills the item slot with the item; and

for each item of the first type that is allocated to a meta item slot, also allocating that item of the first type to an item slot that is unfilled by an item of the second type by matching characteristics of the first type of items to characteristics of the item slots, such that each item slot is filled only by items of the first type having the same meta characteristic, and allocating an item of the first type to an item slot fills the item slot with the item, thereby allocating items to an available inventory of empty item slots.

9. (Previously Presented) The method of claim 8, further comprising:

displaying the plurality of item slot groups as a first histogram having a plurality of bars, where each bar corresponds to an item slot group and has a height corresponding to the number of item slots of the item slot group, wherein the bar has an indication as to how many of the number

1 of item slots of the item slot group are filled and how many of the number of item slots of the item  
2 slot group are unfilled; and,

3 displaying the plurality of meta item slot groups as a second histogram having a  
4 plurality of bars, where each bar corresponds to a meta item slot group and has a height  
5 corresponding to the number of meta item slots of the meta item slot group, wherein the bar has an  
6 indication as to how many of the number of meta item slots of the meta item slot group are filled and  
7 how many of the number of meta item slots of the meta item slot group are unfilled.

8 10. (Previously Presented) The method of claim 8, wherein each item comprises an ad, each  
9 item slot group comprises a web site, and each meta item slot group comprises at least one web site  
10 having similar characteristics, such that each item slot of the item slot group corresponds to an  
11 advertising space on the web site on which an ad can be shown, and each meta item slot of the meta  
12 item slot group corresponds to an advertising space on a web site of the meta item slot group on  
13 which an ad can be shown.

14 11. (Original) The method of claim 10, wherein the first type of the plurality of items  
15 comprises member ads, and the second type of the plurality of items comprises sponsor ads.

16 12. (Original) The method of claim 8, wherein each of the plurality of the items of the first  
17 type and each of the plurality of the items of the second type has a fill quota, wherein allocating each  
18 of the plurality of the items comprises filling a number of item slots that are unfilled with the item  
19 equal to the quota.

20 13. (Currently Amended) A computer-implemented method for allocating items to an  
21 available inventory of empty item slots, comprising the steps of:

22 determining a number of item slots available in an inventory that are empty, such that  
23 each item slot that is empty can be filled by at an item of a first type having a corresponding meta  
24 characteristic and no group characteristic, an item of a second type having a corresponding meta  
25 characteristic and a corresponding group characteristic, and or an item having a corresponding meta  
26 characteristic, a corresponding group characteristic, and a corresponding sub group characteristic, and  
27 wherein each item slot that is empty will be filled by only a single item having the corresponding  
28 characteristics will fill the empty item slot;

29 organizing the item slots that are empty into sub item slot groups, each item slot being  
30 initially unfilled and able to be filled by an item, such that each different sub item slot group includes

1 only those item slots that can be filled by items having the same meta group, group, and sub group  
2 characteristics;

3 organizing the sub item slot groups into item slot groups, such that each different item  
4 slot group includes only those sub item slot groups whose item slots ~~that~~ can be filled by items  
5 having the same meta and group characteristics;

6 constructing a meta item slot group for each different meta characteristic that can be  
7 used to fill an item slot, each meta item slot group having a number of meta item slots equal to a total  
8 number of item slots that can be filled by items having the same meta characteristic, each meta item  
9 slot being initially unfilled and able to be filled by an item having a corresponding meta  
10 characteristic, an item having a corresponding meta characteristic and a corresponding group  
11 characteristic, and or an item having a corresponding meta characteristic, a corresponding group  
12 characteristic, and a corresponding sub group characteristic, and wherein a meta item slot that is  
13 empty is filled by only a single item having the corresponding characteristics ~~will fill the empty meta~~  
14 ~~item slot;~~

15 allocating a plurality of items of a first type over the meta item slots of the meta item  
16 slot groups that are unfilled by matching meta characteristics of the first type of items to meta  
17 characteristics of the meta item slot groups, such that allocating an item to ~~an~~ a meta item slot fills the  
18 meta item slot with the item;

19 allocating each of a plurality of items of a second type over the meta item slots of the meta  
20 item slot groups that are unfilled, the item slots of the item slot groups that are unfilled, and the  
21 item slots of the sub item slot groups that are unfilled, by matching characteristics of the second type  
22 of items to respective characteristics of the meta item slot groups, of the item slot groups, and of the  
23 sub item slot groups, such that allocating an item to an item slot fills the item slot with the item, and  
24 allocating an item to a meta item slot fills the meta item slot with the item; and,

25 allocating each of a plurality of items of a second type over the meta item slots of the meta  
26 item slot groups that are unfilled by items of the first type, by matching meta characteristics, group  
27 characteristics, and sub group characteristics of the second type of items to respective characteristics of  
28 the meta item slots, such that allocating an item to an item slot fills the item slot with the item, thereby  
29 determining how many items of the second type are needed to fill the meta item slots unfilled by items of  
30 the first type;

1 for each item of the second type that is allocated to a meta item slot, also allocating  
2 that item of the second type to an item slot that is unfilled by matching meta, group, and sub group  
3 characteristics of the item of the second type to the meta, group, and sub group characteristics of the  
4 item slot, such that each item slot is filled only by items of the second type having the corresponding  
5 meta, group, and sub group characteristics, and allocating an item of the second type to an item slot  
6 fills the item slot with the item; and

7 for each item of the first type that is allocated to a meta item slot, also allocating that  
8 item of the first type to an item slot that is unfilled by an item of the second type by matching meta  
9 characteristics of the first type of items to meta characteristics of the item slots, such that each item  
10 slot is filled only by items of the first type having the same meta characteristic, and allocating an item  
11 to an item slot fills the item slot with the item, thereby allocating items to an available inventory of  
12 empty item slots.

14. (Previously Presented) The method of claim 13, further comprising the steps of:

14 displaying the plurality of item slot groups as a first histogram having a plurality of  
15 sub-bars organized into a plurality of bars, where each sub-bar corresponds to a sub item slot group  
16 and has a height corresponding to the number of item slots of the sub item slot group, wherein the  
17 sub-bar has an indication as to how many of the number of item slots of the sub item slot group are  
18 filled and how many of the number of item slots of the sub item slot group are unfilled; and,

displaying the plurality of meta item slot groups as a second histogram having a plurality of bars, where each bar corresponds to a meta item slot group and has a height corresponding to the number of meta item slots of the meta item slot group, wherein the bar has an indication as to how many of the number of meta item slots of the meta item slot group are filled and how many of the number of meta item slots of the meta item slot group are unfilled.

24        15. (Previously Presented) The method of claim 13, wherein each item comprises an ad, each  
25 item slot group comprises a web site, each sub item slot group comprises a viewer type of web site,  
26 and each meta item slot group comprises at least one web site having similar characteristics, such that  
27 each item slot of the sub item slot group corresponds to an advertising space on the web site on which  
28 an ad can be shown to a particular viewer type, each item slot of the item slot group corresponds to an  
29 advertising space on the web site on which an ad can be shown, and each meta item slot of the meta

1 item slot group corresponds to an advertising space on a web site of the meta item slot group on  
2 which an ad can be shown.

3 16. (Original) The method of claim 15, wherein the first type of the plurality of items  
4 comprises member ads, and the second type of the plurality of items comprises sponsor ads.

5 17. (Original) The method of claim 13, wherein each of the plurality of the items of the first  
6 type and each of the plurality of the items of the second type has a fill quota, wherein allocating each  
7 of the plurality of the items comprises filling a number of item slots that are unfilled with the item  
8 equal to the quota.

9 18. (Currently Amended) A computer-implemented method for distributing items of a first  
10 type and items of a second type into item slots arranged in a plurality of item slot groups, wherein  
11 items of the second type are defined with a greater granularity than items of the first type, such that  
12 items of the second type can have group and meta characteristics, while items of the first type have  
13 meta characteristics but not group characteristics, comprising the steps of:

14 providing:

15 a plurality of items of the first type, each item of the first type having a meta  
16 characteristic;

17 a plurality of items of the second type, each item of the second type having  
18 both a group characteristic and a meta characteristic;

19 a plurality of item slots, such that each item slot has both a meta characteristic  
20 and a group characteristic, each item slot is initially unfilled, each item slot is able to be filled by an  
21 item of the first type having ~~the~~ a corresponding meta characteristic, and each item slot is able to be  
22 filled by an item of the second type having the corresponding meta characteristic and ~~the~~ a  
23 corresponding group characteristic;

24 using the plurality of item slots, constructing a plurality of item slot groups, such that  
25 item slots having the same group characteristic are included in the same item slot group;

26 constructing a meta item slot group for each different meta characteristic, each meta  
27 item slot group so constructed including a number of meta item slots equal to the number of the item  
28 slots sharing the same meta characteristic, each meta item slot being initially unfilled, and able to be  
29 filled by either an item of the first type having the same meta characteristic, and or an item of the  
30 second type having the same meta characteristic;

1                   allocating each of the plurality of items of the first type over the meta item slots that are  
2 unfilled by matching meta characteristics of the first type of items to meta characteristics of the meta item  
3 slots, such that allocating an item to a meta item slot fills the meta item slot with the item;

4                   allocating each of the plurality of items of the second type over the meta item slots that  
5 are not already filled by items of the first type, by matching meta characteristics of the second type of  
6 items to meta characteristics of the meta item slots, such that allocating an item to a meta item slot fills  
7 the meta item slot with the item, thereby determining a number of items of the second type required to  
8 fill all meta item slots unfilled by items of the first type;

9                   for each item of the second type allocated over a meta item slot, also allocating that item  
10 of the second type over an item slot in an item slot group by matching meta and group characteristics of  
11 the item of the second type to respective meta and group characteristics of the item slot, such that  
12 allocating an item to an item slot fills the item slot with the item; and

13                   for each item of the first type allocated over a meta item slot, also allocating that item  
14 of the first type over an unfilled item slot in an item slot group by matching meta characteristics of the  
15 item of the first type of items to meta characteristics of the item slot, such that allocating an item to an  
16 item slot fills the item slot with the item, thereby distributing items of the first type and items of the  
17 second type into item slots arranged in a plurality of item slot groups.

18                   19. (Currently Amended) A computer-implemented method for distributing items of a first  
19 type and items of a second type into item slots arranged in a plurality of sub item slot groups and item  
20 slot groups, wherein items of the second type are defined with a greater granularity than items of the  
21 first type, comprising the steps of:

22                   providing:

23                   a plurality of items of the first type, each item of the first type having a meta  
24 characteristic;

25                   a plurality of items of the second type, each item of the second type having a  
26 sub group characteristic, a group characteristic, and a meta characteristic;

27                   a plurality of item slots, ~~such that~~ each item slot has having a meta  
28 characteristic, a group characteristic, and a sub group characteristic, each item slot is being initially  
29 unfilled, ~~each item slot is and~~ able to be filled by an item of the first type having the corresponding  
30 meta characteristic and no group characteristic, and each item slot is being able to be filled by an item

1 of the second type having the corresponding meta characteristic, the corresponding group  
2 characteristic, and the corresponding sub group characteristic, wherein an item slot that is empty is  
3 filled by only a single item having the corresponding characteristics ~~filling the empty item slot~~;

4 organizing the plurality of item slots into sub item slot groups, such that each different  
5 sub item slot group includes only those item slots that can be filled by items having the same meta  
6 characteristics, group characteristics, and sub group characteristics;

7 organizing the sub item slot groups into item slot groups, such that each different item  
8 slot group includes only those sub item slot groups whose item slots ~~that can be filled by items~~  
9 having the same meta characteristics and group characteristics;

10 constructing a meta item slot group for each different meta characteristic of the item  
11 slots, each meta item slot group including a number of meta item slots equal to the number of the  
12 item slots having the same meta characteristic, each meta item slot being initially unfilled, and able to  
13 be filled by ~~each~~ ~~of~~ an item of the first type having the corresponding meta characteristic, and an item  
14 of the second type having the corresponding meta characteristic, the corresponding group  
15 characteristic, and the corresponding sub group characteristic, such that an empty meta item slot is  
16 filled by only a single item having the corresponding characteristic ~~will fill the empty meta item slot~~;

17 allocating each of the plurality of items of the first type over the meta item slots that  
18 are unfilled by matching meta characteristics of the first type of items to the meta item slots, such that  
19 allocating an item to a meta item slot fills the meta item slot with the item;

20 allocating each of the plurality of items of the second type over the meta item slots that  
21 are not already filled by items of the first type, by matching meta characteristics, group characteristics,  
22 and sub group characteristics of the second type of items to the meta item slots, such that allocating an  
23 item to a meta item slot fills the meta item slot with the item, thereby determining a number of items of  
24 the second type required to fill all meta item slots unfilled by items of the first type;

25 for each item of the second type that is allocated over a meta item slot, also allocating  
26 that item of the second type over an item slot in a sub item slot group by matching meta  
27 characteristics, group characteristics, and sub group characteristics of the second type of items to the  
28 item slots, such that allocating an item to an item slot fills the item slot with the item, thereby filling  
29 the item slots with the same number of items of the second type that filled the meta item slots;

1 for each item of the first type allocated over a meta item slot, also allocating that item  
2 of the first type over an unfilled item slot in an item slot group by matching meta characteristics of  
3 the item ~~of the first type of items~~ to meta characteristics of the item slot, such that allocating an item  
4 to an item slot fills the item slot with the item, thereby distributing items of the first type and items of  
5 the second type into item slots arranged in a plurality of sub item slot groups.

6 20. (Currently Amended) A computer-implemented method for allocating items to an  
7 available inventory of empty item slots, comprising the steps of:

8 determining a number of item slots available in an inventory that are empty, such that  
9 each item slot that is empty can be filled by either an item of a first type having a corresponding  
10 broad characteristic and no narrow characteristic, or an item of a second type having both a  
11 corresponding broad characteristic and a corresponding narrow characteristic, and wherein each item  
12 slot that is empty is filled by only a single item having the corresponding characteristic;

13 organizing the item slots that are empty into item slot groups, such that each item slot  
14 group includes only those item slots that can be filled by ~~elosely related~~ items of the second type  
15 having the same narrow characteristic;

16 constructing a meta item slot group for each different broad characteristic ~~that is~~  
17 ~~shared by different types of closely related items that can be used to~~ fill the item slots, ~~and for each~~  
18 ~~type of closely related items that can fill the item slots that does not share a broad characteristic with~~  
19 ~~any other type of closely related items that can fill the item slots~~, each meta item slot group having a  
20 number of meta item slots equal to a total number of item slots ~~in the item slot groups upon which~~  
21 ~~that meta item slot group is based on~~ that can be filled by items having that broad characteristic, each  
22 meta item slot being initially unfilled, ~~each item slot of a specific item slot group being able to be~~  
23 ~~filled by an item which can fill the items slots in the item slot groups upon which that item slot group~~  
24 ~~is based and able to be filled by an item having the same broad characteristic;~~

25 allocating a plurality of items of a first type over the meta item slots by matching  
26 broad characteristics of the first type of items to broad characteristics of the meta item slot, such that  
27 allocating an item of the first type to a meta item slot fills the meta item slot with the item;

28 allocating a plurality of items of a second type over the meta item slots that are not  
29 filled by items of the first type by matching ~~elosely related~~ broad characteristics of the second type of  
30 items to broad characteristics of the meta item slot, such that ~~each meta item slot not filled by an item~~

1 of the first type is filled by a closely related item of the second type, where the closely related item of  
2 the second type would also fill the item slot upon which that meta item slot is based upon, and  
3 allocating an item to a meta item slot fills the meta item slot with the item, allocating an item of the  
4 second type to a meta item slot fills the meta item slot with the item, thereby determining how many  
5 items of the second type can be accommodated in the item slots;

6 for each item of the second type that is allocated to a meta item slot, also allocating  
7 that item of the second type to an item slot that is unfilled, by matching narrow characteristics of the  
8 second type of items to narrow characteristics of the item slot, such that each item slot that is filled is  
9 filled by a closely related item of the second type, allocating an item of the second type to an item  
10 slot fills the item slot with the item, thereby filling a first portion of the item slots;

11 for each item of the first type that is allocated to a meta item slot, also allocating that  
12 item of the first type to an item slot that is unfilled by an item of the second type, by matching broad  
13 characteristics of the first type of items to broad characteristics of the item slot, such that allocating  
14 an item of the first type to an item slot fills the item slot with the item, thus filling the remaining  
15 portion of the item slots, by matching broad characteristics of the first type of items to broad  
16 characteristics of the item slot, such that each item slot is filled only by items of the first type having  
17 the same broad characteristic, and allocating an item to an item slot fills the item slot with the item,  
18 thereby allocating items of the first type and the second type to the available inventory of empty item  
19 slots.

20 21. (Currently Amended) A computer-implemented method comprising the steps of:

21 constructing a plurality of item slot groups, each item slot group having a number of  
22 item slots, each item slot initially unfilled and able to be filled by an item;

23 constructing a plurality of meta item slot groups, each meta item slot group  
24 encompassing at least one item slot group and having a number of meta item slots equal to a total  
25 number of item slots of the at least one item slot group the meta item slot group encompasses, each  
26 meta item slot initially unfilled and able to be filled by an item;

27 allocating each of a plurality of items of a first type over the meta item slots of the  
28 meta item slot groups that are unfilled by matching characteristics of the first type of items to  
29 characteristics of the meta item slot groups, such that allocating an item to a meta item slot fills the

1 meta item slot with the item, each item of the first type not having any characteristics corresponding  
2 to a specific item slot group;

3 allocating each of a plurality of items of a second type over both the meta item slots of  
4 the meta item slot groups that are unfilled and the item slots of the item slot groups that are unfilled by  
5 matching characteristics of the second type of items to the respective characteristics of the item slot  
6 groups and the meta item slot groups, such that allocating an item to an item slot fills the item slot with  
7 the item, and allocating an item to a meta item slot fills the meta item slot with the item; and,

8 for each meta item slot group, allocating each of the plurality of items of the first type  
9 that have been allocated to a meta item slot over the item slots of the at least one item slot group  
10 encompassed by that meta item slot group that are unfilled, ~~by matching characteristics of the first~~  
11 ~~type of items to characteristics of the at least one item slot group encompassed by that meta item slot~~  
12 ~~group,~~ such that allocating an item to an item slot fills the item slot.

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30